

# Colored Marking Tapes

## Vinyl and Polyethylene Tapes

Designed for applications requiring conformability, clean removal, color coding, chemical and abrasion resistance. Highly suitable and well-tries for marking floors in industrial or sports facilities.



### Types of Marking Tapes:

- conformable
- cleanly removable
- color coded
- abrasion resistant
- chemical resistant

### Detailed List of Marking Tapes

Product/Color	Tape structure (carrier/adhesive)	Carrier thickness (mm)	Total thickness (mm)	Adhesion to steel (N/100 mm)	Tensile strength (N/100 mm)	Elongation at break %	Temperature use range (°C)	Notes
<b>VINYL TAPES</b>								
General industrial use								
<b>471/black</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	471 tape application: <sup>1</sup>
<b>471/blue</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	Paint covering <sup>1</sup>
<b>471/brown</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	Marking corridors <sup>1</sup>
<b>471/green</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	Color coding <sup>1</sup>
<b>471/orange</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	Marking <sup>1</sup>
<b>471/red</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	Joining <sup>1</sup>
<b>471/red orange</b>	Vinyl/rubber adhesive	0.09	0.11	21	350	70	from -40 to 75	Sealing

<b>471/transparent</b>	Vinyl/rubber adhesive	0.10	0.14	28	280	180	from -40 to 75	Reinforcing <sup>2</sup>
<b>471/white</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	<sup>1</sup>
<b>471/yellow</b>	Vinyl/rubber adhesive	0.10	0.13	25	280	130	from -40 to 75	<sup>1</sup>
<b>472/black</b>	Vinyl/rubber adhesive	0.23	0.26	25	560	270	to 75	Abrasion resistant
<b>474/gray</b>	Vinyl/rubber adhesive	0.13	0.16	25	350	210	from -40 to 75	Fireproof <sup>3</sup>
<b>3903/various colors</b>	Vinyl/rubber adhesive	0.13	0.16	13	228	129	from -20 to 100	"Duct-tape" - sealing and surface protection, color coding, binding, packaging. Water resistant.
Galvanic metal coating and anodic treatment								
<b>470/bronze</b>	Vinyl/rubber adhesive	0.16	0.18	28	350	180	to 75	Chemical resistant <sup>4</sup>
<b>484/bronze</b>	Vinyl/rubber adhesive	0.14	0.18	22	350	220	to 75	Adhesion less than 470
Safety stripes								
<b>5702/black and yellow stripes</b>	Vinyl/rubber adhesive	0.11	0.14	21	263	170	from -40 to 75	Print on adhesive side
<b>POLYETHYLENE TAPES</b>								
<b>480/transparent</b>	Polyethylene/ rubber adhesive	0.10	0.13	24	175	277	from -7 to 75	Bonding acrylic adhesive
<b>481/black</b>	Polyethylene/ rubber adhesive	0.18	0.25	33	298	523	to 75	Protecting sealing tape <sup>5</sup>
<b>4811/white</b>	Polyethylene/ rubber adhesive	0.21	0.13	36	263	490	to 75	Protecting sealing tape
<b>483/black</b>	Polyethylene/ rubber adhesive	0.10	0.13	13	193	240	to 75	Color marking, identification
<b>483/red</b>	Polyethylene/ rubber adhesive	0.10	0.13	13	193	240	to 75	Marking, joining